Rec'd PCT/PTO 1 U DEC 2004

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOTERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



. | COLOR BRASER IL COLOR BERL COLOR BELLE III IN 101 HOLD GENO BING GENA BELL BELLE GOLD GENA COLO

(43) International Publication Date 24 December 2003 (24.12.2003)

PCT

(10) International Publication Number WO 2003/106672 A3

(51) International Patent Classification⁷:

C12N 15/00

(21) International Application Number:

PCT/JP2003/007514

(22) International Filing Date:

12 June 2003 (12.06.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2002-171851

12 June 2002 (12.06.2002) JP

2002-235294

12 August 2002 (12.08.2002)

(71) Applicants (for all designated States except US): RIKEN [JP/JP]; 2-1, Hirosawa, Wako-shi, Saitama 351-0198 (JP). KABUSHIKI KAISHA DNAFORM [JP/JP]; 3-35, Mita 1-chome, Minato-ku, Tokyo 108-0073 (JP).

(72) Inventors; and

(75) Inventors/Applicants (for US only): HAYASHIZAKI, Yoshihide [JP/JP]; 22-8, Inarimae, Tsukuba-shi, Ibaraki 305-0061 (JP) (CARNINCI, Piero [IT/JP]; c/o RIKEN, 2-1, Hirosawa, Wako-shi, Saitama 351-0198 (JP). HARBERS, Matthias, T. [DE/JP]; c/o KABUSHIKI KAISHA

DNAFORM, 3-35, Mita 1-chome, Minato-ku, Tokyo 108-0073 (JP).


- (74) Agents: OKUYAMA, Shoichi et al.; 8th Floor, Akasaka NOA Bldg., 2-12, Akasaka 3-chome, Minato-ku, Tokyo 107-0052 (JP).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

[Continued on next page]

(54) Title: METHOD OF UTILIZING THE 5'END OF TRANSCRIBED NUCLEIC ACID REGIONS FOR CLONING AND ANALYSIS



(57) Abstract: A method is disclosed for obtaining the 5'ends of transcribed regions from a plurality of nucleic acid fragments obtained from biological materials or synthetic pools. DNA fragments encoding the 5'ends are enriched for their individual analysis or for the analysis of concatemers thereof. The sequence information derived from 5' ends can be used for characterization and cloning of the transcriptome.

003/106672 A3



(88) Date of publication of the international search report: 1 July 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

ن. م

WO 03/106672

SEQUENCE LISTING

<110> RIKEN KABUSHIKI KAISHA DNAFORM	
<120> Method for utilizing the 5'end of mRNA for cloning and analysis	
<130> 1336(PCT)	•
<150> JP 2002-171851 <151> 2002-06-12	
<150> JP 2002-235294 <151> 2002-08-12	
<160> 77	
<170> PatentIn version 3.1	
<210> 1 <211> 74 <212> DNA <213> Artificial	
<220> <223> First strand cDNA primer	
<220> <221> misc_feature <222> (73)(73) <223> "v" is A, C or G	
<pre><220> <221> misc_feature <222> (74)(74) <223> "n" is any nucleotide</pre>	
<400> 1 gagagagaga aaggateetg ceattteatt acetetttet eegeaceega eatagatttt	60
ttttttttt ttvn	74
<210> 2 <211> 60 <212> DNA <213> Artificial	
<220> <223> Upper oligonucleotide GN5	
<pre><220> <221> misc_feature (222> (56)(60) <223> "n" is any nucleotide</pre>	
<400> 2 agagagagac ctcgagtaac tataacggtc ctaaggtagc gacctaggtc cgacgnnnnn	60
<210> 3 <211> 60 <212> DNA <213> Artificial	
<220>	

```
<220>
<221> misc_feature
<222> (55)..(60)
<223> "n" is any nucleotide
<400> 3
agagagagac etegagtaac tataacggte etaaggtage gacetaggte egaennnnnn
                                                                                           60
<210> 4
<211> 54
<212> DNA
        Artificial
<213>
<220>
<223> Lower oligonucleotide
gtcggaccta ggtcgctacc ttaggaccgt tatagttact cgaggtctct ctct
                                                                                           54
<210> 5
<211> 55
<212> DNA
<213> Artificial
<220>
<223> primer
<400> 5
agagagagac ctcgagtaac tataacggtc ctaaggtagc gacctaggtc cgacg
                                                                                            55
<210> 6
<211> 45
<212> DNA
<213> Artificial
<220>
<223> linker
 <400> 6
                                                                                            45
 tctagatcag gactetteta tagtgteace taaagtetet etete
 <210> 7
<211> 47
<212> DNA
<213> Artificial
 <220>
<223> linker
 <221>
<222>
<223>
         misc_feature
(46)..(47)
"n" is any nucleotide
                                                                                            47
 gagagagaga ctttaggtga cactatagaa gagtcctgat ctagann
 <210> 8
<211> 25
 <212> DNA
 <213> Artificial
```

<220> <223>	Primer 1 (uni-PCR)	
<400> gagagag	8 gaga ctttaggtga cacta	25
<212>	9 25 DNA Artificial	
<220> <223>	Primer 2(MmeI-PCR)	
<400> agagaga	9 agac ctcgagtaac tataa	25 .
<210> <211> <212> <213>	44	
<220> <223>	first strand oligo-dT primer	
<220> <221> <222> <223>	misc_feature (43)(43) "v" is A, C or G	
<220> <221> <222> <223>	misc_feature (44)(44) "n" is any nucleotide	
<400> gagaga	10 gaga ggatccttct ggagagtttt ttttttttt ttvn	44
<210> <211> <212> <213>	45	
<220> <223>	Oligonucleotide Bg-Gsu-GN5	
<220> <221> <222> <223>	misc_feature (41)(45) "n" is any nucleotide	
<400> agagag	11 gagaa ctaggcttaa taggtgacta gatctggagg nnnnn	45
<210> <211> <212> <213>	45 DNA	
<220> <223>		
<220>		

WO 03/106672

:221> :222> :223>	misc_feature (40)(45) "n" is any nucleotide	
<400> agagaga	12 agaa ctaggcttaa taggtgacta gatctggagn nnnnn	45
	13 39 DNA Artificial	
<220> <223>	Oligonucleotide Bg-Gsu-down	
<400> ctggaga	13 atct agtcacctat taagcctagt tetetetet	39
<210> <211> <212> <213>	14 47 DNA Artificial	
<220> <223>	Oligonucleotide Bg-Mme-GN5	
<220> <221> <222> <223>	misc_feature (43)(47) "n" is any nucleotide	
<220> <221> <222> <223>	misc_feature (39)(39) "r" is G or A	
<400> agagag	14 gagaa ctaggcttaa taggtgacta gatcttccra cgnnnnn	47
<210> <211> <212> <213>	15 47 DNA Artificial	
<220> <223>	Oligonucleotide Bg-Mme-N6	
<220> <221> <222> <223>	misc_feature (42)(47)	
<220> <221> <222> <223>	misc_feature (39)(39)	
<400> agaga	15 gagaa ctaggettaa taggtgacta gatetteera ennnnnn	47
<210>	16	

WO 03/106672

<211> <212> <213>	40 DNA Artificial	
<220> <223>	Oligonucleotide Bg-Mme-down	
<220> <221> <222> <223>	misc_feature (3)(3) "y" is C or T	
<400> gtygga	16 gate tagteaceta ttaageetag ttetetetet	40
<210> <211> <212> <213>	17 47 DNA Artificial	
<220> <223>	oligonucleotide	
<220> <221> <222> <223>		
<400> gagaga	17 agaga ctttaggtga cactatagaa gagtcctgag aattcnn	47
<210> <211> <212> <213>	45 DNA	
<220> <223>	oligonucleotide	
<400> gaatt	18 ctcag gactetteta tagtgteace taaagtetet etete	45
<210> <211> <212> <213>		
<220> <223>	linker	
<220> <221> <222> <223>	misc_feature (45)(49) "n" is any nucleotide	
<400> agaga	· 19 gagag cttagatgag agtgactcga gcctaggtcc aacgnnnnn	49
<210><211><211><212><213>		

<220> <223>	linker	
<220> <221> <222> <223>	misc_feature (44)(49) "n" is any nucleotide	
<400> agagag	20 agag cttagatgag agtgactcga gcctaggtcc aacnnnnnn	49
<210> <211> <212> <213>	43	
<220> <223>	linker	
<400> gttgga	21 ccta ggctcgagtc actctcatct aagctctctc tct	43
<210> <211> <212> <213>	42	-
<220> <223>	second linker	
<400> gaatte	22 ctacg cctctcgatc gaaatcccga tctaggctag cg	42
<210> <211> <212> <213>	42 DNA	
<220> <223>		
<400> cttaa	23 gatgc ggagagcgtg aatcgagttt aaggctagca tc	42
<210> <211> <212> <213>	25 DNA	
<220> <223>	primer	
<400> ttaga	> 24 utgaga gtgactcgag cctag	25
<210 <211 <212 <213	> 25 > DNA	
<220 <223	> > primer	
<400	> 25	

ctacgatcgg aatttgagct aagtg	. 40
<210> 26 <211> 17 <212> DNA <213> Artificial	
<220> <223> primer	
<400> 26 caggaaacag ctatgac	17
<210> 27 <211> 16 <212> DNA <213> Artificial	
<220> <223> primer	
<400> 27 gtaaaacgac ggccag	16
<210> 28 <211> 596 <212> DNA <213> Homo sapiens	
<220> <221> misc_feature <222> (432)(432) <223> "n" is any nucleotide	
<220> <221> misc_feature <222> (436)(436) <223> "n" is any nucleotide	
<220> <221> misc_feature <222> (456)(456) <223> "n" is any nucleotide	
<400> 28 tcgttaacta ttaggcgaat tgggccctct aggtcgacga gttctcagca gagccgccg	st 60
ctagagcccc gccctcccgg gccaccgtcg gacctagaat agttactcga ggtctctcg	
cggacctaga gtttttcgta tgtttgtcat cgtcggacct aggtccgacg gtccattcc	et 180
gagagtetet etaggteega egagagagag aggateette tgtetagace etgaegeeg	gg 240
aaccgcaccg tcggacctag gtccgacgga aaagcagctt cctccactct aggtccgac	cg 300
gtgtgtgtgt gtgtgcgtgt tctagagact ggttcagatc aaaagtcgtc ggacctaga	gt 360
ccgacggggc tggtgagatg gctcagtcta gatgcatgct cgagcggccg ccagtgtg	at 420
ggatatetge enaatneeag cacaceggeg egegenacea gtggateega geeeggta	
aagettgatg catacetega gtateetata etgteaceta aatagettgg ggtaatea	tg 540
etcatagete tetectetet gaaattetta teegeteaaa atteecaaca acatag	596

<211> <212>	29 12 DNA Artificial		
<220> <223>	linker		
<220> <221> <222> <223>	misc_feature (1)(1) "n" is any nucleotide		
<400> nctagg	29 teeg ac	. •	12
<210> <211> <212> <213>	20	٠	
<220> <223>	linker	·	
<220> <221> <222> <223>	misc_feature (1)(1) "n" is any nucleotide		
<220> <221> <222> <223>	misc_feature (20)(20) "n" is any nucleotide		
<400> ngttgg	30 acct aggtccaacn		20
<210> <211> <212> <213>	31 13 DNA Artificial		
<220> <223>	linker		
<400> tctagg	31 gtccg acg		13
<210> <211> <212> <213>			
<220> <223>	linker		
<400> cctag	32 gtccg acg		13
<210> <211>	33 20		

<212> <213>	DNA Artificial	
<220> <223>	tag1	
<400> gtggcc	33 cggg agggcggggc	20
<210> <211> <212> <213>	34 19 DNA Artificial	
<220> <223>	tag2	
<400> agagac	34 ctcg agtaactat	19
<210> <211> <212> <213>	35 20 DNA Artificial	
<220> <223>	tag3	
<400> atgaca	35 aaca tacgaaaaac	20
<210> <211> <212> <213>	19 DNA	
<220> <223>	tag4	
<400> gtccat	36 tteet gagagtete	19
<210> <211> <212> <213>	37 20 DNA Artificial	
<220> <223>	tag5	
<400> agagag	37 gagag gatccttctg	20
<210> <211> <212> <213>	20 DNA	
<220> <223>		
<400> gtgcg	38 gttcc ggcgtcaggg	20

<210> <211> <212> <213>	39 19 DNA Artificial	
<220> <223>	tag7	
<400> gaaaag	39 cage tteetecae	19
<210> <211> <212> <213>	40 20 DNA Artificial	
<220> <223>	tag8	
<400> gtgtgt	40 gtgt gtgtgcgtgt	20
<210> <211> <212> <213>	41 20 DNA Artificial	
<220> <223>	tag9	
<400> actttt	41 gatc tgaaccagtc	20
<210> <211> <212> <213>	42 20 DNA Artificial	
<220> <223>	tag10	
<400> gggcts	42 ggtga gatggctcag	20
<210> <211> <212> <213>	19	
<220> <223>	tag1	
<400> gtacc	43 teete geatecege	19
<210> <211> <212> <213>	44 20 DNA Artificial	
<220> <223>	tag2	
<400> gtggt	44 gtgcg tgtcgaaggt	20

<210> <211> <212> <213>	45 20 DNA Artificial	
<220> <223>	tag3	
<400> atggac	45 cgag ggccccagcc	20
<210> <211> <212> <213>	46 19 DNA Artificial	
<220> <223>	tag4	
	46 gggt gggtcggac	19
<210> <211> <212> <213>	47 19 DNA Artificial	
<220> <223>	tag5	
<400> agaggt	47 tegea geagttegt	19
<210> <211> <212> <213>	48 20 DNA Artificial	
<220> <223>	tag6	
<400> tctcc	48 ggagc cggcgctgtg	20
<210> <211> <212> <213>	19 DNA	
<220> <223>	tag7	
<400> agact	49 ttgca ggctccgag	19
<210> <211> <212> <213>	20 DNA	
<220> <223>	tag8	

<400> ggagcte	50 gccg cagcgccgga	20
<210> <211> <212> <213>	20	
<220> <223>	tag9	
<400> acaccg	51 tcgg acctggtcgc	20
<212>	20	
<220> <223>	tag10	
<400> agacgt	52 tete geceagagte	20
	53 20 DNA Artificial	
<220> <223>	tag11	
<400> gccgtt	53 cctt gcttgctgga	20
<210> <211> <212> <213>	54 20 DNA Artificial	
<220> <223>	tag12	
<400> gggttg	54 ggga tttagctcag	20
<210> <211> <212> <213>	19	
<220> <223>	tag13	
<400> gagtaa	55 actat aacggteet	19
<210> <211> <212> <213>	19	
<220>		

<223>	tag14	
<400> gattcca	56 gcct ggagctcgc	19
<210> <211> <212> <213>	57 18 DNA Artificial	
<220> <223>	tag15	
<400> agggace	57 cgct gcggtccg	18
<210> <211> <212> <213>	58 18 DNA Artificial	
<220> <223>	zzb21106i09t3 junk	
	58 ggga ttgggccc	18
<210> <211> <212> <213>	59 28 DNA Artificial	
<220> <223>	zzb21106i09t3 junk	
<400> acccgg	59 gggg cgggactaac cgtcggac	· 28
<210> <211> <212> <213>	60 20 DNA Artificial	
<220> <223>	tag1	
<400> gacgcg	60 gaag gcgcggcggc	20
<210> <211> <212> <213>	61 21 DNA Artificial	
<220> <223>	tag2	
<400> ggaggg	61 geggg eggeggeeet e	21
<210> <211> <212> <213>	62 19 DNA Artificial	

<220> <223>	tag3	
<400>	62 laaa aaaaaaact	19
<210>	63	
<211> <212> <213>	20 DNA Artificial	
<220> <223>	tag4	
<400> aggctc	63 tgct cgctctgccc	20
<210> <211> <212> <213>	19	
<220> <223>	tag5	
<400> acttct	64 gatt ctgacagac	19
<210> <211> <212> <213>	19	
<220> <223>	tag6	
<400> acagtg	65 gcgt ctgcaaagc	19
<210> <211> <212> <213>	20	
<220> <223>	tag7	
<400> ggaaag	66 stcca ggtggacttt	20 .
<210> <211> <212> <213>	19 DNA	
<220> <223>	tag8	
<400> gccgc	67 cgagg ccgcgcagg	19
<210> <211>	68 19	

<212> <213>	DNA Artificial	
<220> <223>	tag9	
<400> gttagtg	68 gtat aacagagtt	19
<212>	69 20 DNA Artificial	٠
<220> <223>	tag10 ·	
<400> tcgccca	69 gctg ttcagtctct	20
<212>	70 19 DNA Artificial	
<220> <223>	tag11	
<400> aggtgg	70 ggca agatggctg	19
<210> <211> <212> <213>	71 20 DNA Artificial	
<220> <223>	tag12	
<400> ggcatg	71 gcca gaaggcaagc	20
<210> <211> <212> <213>	72 20 DNA Artificial	
<220> <223>	tag13	
<400> gacgca	72 cgca tagagggggg	20
<210> <211> <212> <213>	19	
<220> <223>	tag14	
<220> <221> <222> <223>	misc_feature (1)(1) "n" is any nucleotide	

<400> 73 nccatggaac agccacact	19
<210> 74 <211> 26 <212> DNA <213> Artificial	
<220> <223> junk1	
<400> 74 tgataaggca atggcctcta atgctg	26
<210> 75 <211> 16 <212> DNA <213> Artificial	
<220> <223> tag	
<400> 75 acctcctcc gcggag	16
<210> 76 <211> 2745 <212> DNA <213> Homo sapiens	
<220> <221> CDS <222> (842)(2017) <223>	
<400> 76 acctccctcc gcggagcagc cagacagcga gggccccggc cgggggcagg ggggacgccc	60
cgtccggggc acceccccg gctctgagcc gcccgcgggg ccggcctcgg cccggagcgg	120
aggaaggagt cgccgaggag cagcctgagg ccccagagtc tgagacgagc cgccgccgcc	180
cccgccactg cggggaggag ggggaggagg agcgggagga gggacgagct ggtcgggaga	240
agaggaaaaa aacttttgag acttttccgt tgccgctggg agccggaggc gcggggacct	300
cttggcgcga cgctgccccg cgaggaggca ggacttgggg accccagacc gcctcccttt	360
gccgccgggg acgcttgctc cctccctgcc ccctacacgg cgtccctcag gcgcccccat	420
teeggaceag ecetegggag tegeegacee ggeeteeege aaagaetttt eeceagacet	480
cgggcgcacc ccctgcacgc cgccttcatc cccggcctgt ctcctgagcc cccgcgcatc	540
ctagaccett tetectecag gagaeggate teteteegae etgecacaga teccetatte	600
aagaccaccc accttctggt accagatcgc gcccatctag gttatttccg tgggatactg	660
agacaccccc ggtccaagcc tcccctccac cactgcgccc ttctccctga ggagcctcag	720
ctttccctcg aggccctcct accttttgcc gggagacccc cagcccctgc aggggggg	780
cctccccacc acaccagccc tgttcgcgct ctcggcagtg ccgggggggg ccgcctcccc	840
c atg ccg ccc tcc ggg ctg cgg ctg ctg ccg ctg ct	889

Me 1	t Pr	o Pr	o Se	r Gl 5	y Le	u Ar	g Le	eu Le	eu Pr 10		u Le	eu Le	eu Pr	o Le 15	eu Let	1
tgg Trp	cta Leu	ctg Leu	gtg Val 20	ctg Leu	acg Thr	cct Pro	ggc Gly	ccg Pro 25	ccg Pro	gcc Ala	gcg Ala	gga Gly	cta Leu 30	tcc Ser	acc Thr	937
tgc Cys	aag Lys	act Thr 35	atc Ile	gac Asp	atg Met	gag Glu	ctg Leu 40	gtg Val	aag Lys	cgg Arg	aag Lys	cgc Arg 45	atc Ile	gag Glu	gcc Ala	985
atc Ile	cgc Arg 50	ggc Gly	cag Gln	atc Ile	ctg Leu	tcc Ser 55	aag Lys	ctg Leu	cgg Arg	ctc Leu	gcc Ala 60	agc Ser	ccc Pro	ccg Pro	agc Ser	1033
cag Gln 65	ggg Gly	gag Glu	gtg Val	ccg Pro	ccc Pro 70	ggc Gly	ccg Pro	ctg Leu	ccc Pro	gag Glu 75	gcc Ala	gtg Val	ctc Leu	gcc Ala	ctg Leu 80	1081
tac Tyr	aac Asn	agc Ser	acc Thr	cgc Arg 85	gac Asp	cgg Arg	gtg Val	gcc Ala	ggg Gly 90	gag Glu	agt Ser	gca Ala	gaa Glu	ccg Pro 95	gag Glu	1129
ccc Pro	gag Glu	cct Pro	gag Glu 100	gcc Ala	gac Asp	tac Tyr	tac Tyr	gcc Ala 105	aag Lys	gag Glu	gtc Val	acc Thr	cgc Arg 110	gtg Val	cta Leu	1177
atg Met	gtg Val	gaa Glu 115	acc Thr	cac His	aac Asn	gaa Glu	atc Ile 120	tat Tyr	gac Asp	aag Lys	ttc Phe	aag Lys 125	cag Gln	agt Ser	aca Thr	1225
cac His	agc Ser 130	ata Ile	tat Tyr	atg Met	ttc Phe	ttc Phe 135	aac Asn	aca Thr	tca Ser	gag Glu	ctc Leu 140	cga Arg	gaa Glu	gcg Ala	gta Val	1273
cct Pro 145	gaa Glu	ccc Pro	gtg Val	ttg Leu	ctc Leu 150	tcc Ser	cgg Arg	gca Ala	gag Glu	ctg Leu 155	cgt Arg	ctg Leu	ctg Leu	agg Arg	agg Arg 160	1321
ctc Leu	aag Lys	tta Leu	aaa Lys	gtg Val 165	gag Glu	cag Gln	cac His	gtg Val	gag Glu 170	ctg Leu	tac Tyr	cag Gln	aaa Lys	tac Tyr 175	agc Ser	1369
aac Asn	aat Asn	tcc Ser	tgg Trp 180	cga Arg	tac Tyr	ctc Leu	agc Ser	aac Asn 185	Arg	ctg Leu	ctg Leu	gca Ala	ccc Pro 190	agc Ser	gac Asp	1417
tcg Ser	cca Pro	gag Glu 195		tta Leu	tct Ser	ttt Phe	gat Asp 200	gtc Val	acc Thr	gga Gly	gtt Val	gtg Val 205	cgg Arg	cag Gln	tgg Trp	1465
ttg Leu	agc Ser 210	cgt Arg	gga Gly	ggg Gly	gaa Glu	att Ile 215	gag Glu	ggc Gly	ttt Phe	cgc Arg	ctt Leu 220	agc Ser	gcc Ala	cac His	tgc Cys	1513
tcc Ser 225	Cys	gac Asp	agc Ser	agg Arg	gat Asp 230	aac Asn	aca Thr	ctg Leu	caa Gln	gtg Val 235	gac Asp	atc Ile	aac Asn	ggg Gly	ttc Phe 240	1561
act Thr	acc Thr	ggc Gly	cgc Arg	cga Arg 245	ggt Gly	gac Asp	ctg Leu	gcc Ala	acc Thr 250	He	cat His	ggc Gly	atg Met	aac Asn 255	cgg Arg	1609
cct Pro	ttc Phe	ctg Leu	ctt Leu 260	Leu	atg Met	gcc Ala	acc Thr	ccg Pro 265	Leu	gag Glu	agg Arg	gcc Ala	cag Gln 270	His	ctg Leu	1657
caa Gln	agc Ser	tcc Ser 275	Arg	cac	cgc Arg	cga Arg	gcc Ala 280	Leu	gac Asp	acc Thr	aac Asn	tat Tyr 285	Cys	tto Phe	agc Ser	1705

tcc acg gag aag aac tgc tgc gtg cgg cag ctg tac att gac ttc cgc Ser Thr Glu Lys Asn Cys Cys Val Arg Gln Leu Tyr Ile Asp Phe Arg 290 295 300	1753
aag gac ctc ggc tgg aag tgg atc cac gag ccc aag ggc tac cat gcc Lys Asp Leu Gly Trp Lys Trp Ile His Glu Pro Lys Gly Tyr His Ala 305 310 320	1801
aac ttc tgc ctc ggg ccc tgc ccc tac att tgg agc ctg gac acg cag Asn Phe Cys Leu Gly Pro Cys Pro Tyr Ile Trp Ser Leu Asp Thr Gln 325 330 335	1849
tac agc aag gtc ctg gcc ctg tac aac cag cat aac ccg ggc gcc tcg Tyr Ser Lys Val Leu Ala Leu Tyr Asn Gln His Asn Pro Gly Ala Ser 340 345 350	1897
gcg gcg ccg tgc tgc gtg ccg cag gcg ctg gag ccg ctg ccc atc gtg Ala Ala Pro Cys Cys Val Pro Gln Ala Leu Glu Pro Leu Pro Ile Val 355 360 365	1945
tac tac gtg ggc cgc aag ccc aag gtg gag cag ctg tcc aac atg atc Tyr Tyr Val Gly Arg Lys Pro Lys Val Glu Gln Leu Ser Asn Met Ile 370 375 380	.1993
gtg cgc tcc tgc aag tgc agc tga ggtcccgccc cgccccgccc	2047
ggcccggccc caccccgccc cgccccgct gccttgccca tggggggctgt atttaaggac	2107
accetecce aagcccacct ggggccccat taaagatgga gagaggactg cggatctctg	2167
tgtcattggg cgcctgcctg gggtctccat ccctgacgtt cccccactcc cactccctct	2227
ctetecetet etgeeteete etgeetgtet geactattee tttgeeegge ateaaggeae	2287
aggggaccag tggggaacac tactgtagtt agatctattt attgagcacc ttgggcactg	2347
ttgaagtgcc ttacattaat gaactcattc agtcaccata gcaacactct gagatggcag	2407
ggactctgat aacacccatt ttaaaggttg aggaaacaag cccagagagg ttaagggagg	2467
agttcctgcc caccaggaac ctgctttagt gggggatagt gaagaagaca ataaaagata	2527
gtagttcagg ccaggcgggg tgctcacgcc tgtaatccta gcacttttgg gaggcagaga	2587
tgggaggata cttgaatcca ggcatttgag accagcctgg gtaacatagt gagaccctat	2647
ctctacaaaa cacttttaaa aaatgtacac ctgtggtccc agctactctg gaggctaagg	2707
tgggaggatc acttgatcct gggaggtcaa ggctgcag	2745

<210> <211>

PRT Homo sapiens

<400> 77

Met Pro Pro Ser Gly Leu Arg Leu Leu Pro Leu Leu Pro Leu Leu 15 Leu 10 Leu 15 Leu 16 Leu 17 Leu 18 L

Trp Leu Leu Val Leu Thr Pro Gly Pro Pro Ala Ala Gly Leu Ser Thr 20

Cys Lys Thr Ile Asp Met Glu Leu Val Lys Arg Lys Arg Ile Glu Ala

35

40

45

Ile Arg Gly Gln Ile Leu Ser Lys Leu Arg Leu Ala Ser Pro Pro Ser 50 55 60 Gln Gly Glu Val Pro Pro Gly Pro Leu Pro Glu Ala Val Leu Ala Leu 65 70 75Tyr Asn Ser Thr Arg Asp Arg Val Ala Gly Glu Ser Ala Glu Pro Glu 85 90 95 Pro Glu Pro Glu Ala Asp Tyr Tyr Ala Lys Glu Val Thr Arg Val Leu 100 105 110 Met Val Glu Thr His Asn Glu Ile Tyr Asp Lys Phe Lys Gln Ser Thr His Ser Ile Tyr Met Phe Phe Asn Thr Ser Glu Leu Arg Glu Ala Val 130 135 140 Pro Glu Pro Val Leu Leu Ser Arg Ala Glu Leu Arg Leu Leu Arg 145 150 150 160 Leu Lys Leu Lys Val Glu Gln His Val Glu Leu Tyr Gln Lys Tyr Ser 165 170 175Asn Asn Ser Trp Arg Tyr Leu Ser Asn Arg Leu Leu Ala Pro Ser Asp 180 190 Ser Pro Glu Trp Leu Ser Phe Asp Val Thr Gly Val Val Arg Gln Trp 195 200 205 Leu Ser Arg Gly Gly Glu Ile Glu Gly Phe Arg Leu Ser Ala His Cys 210 215 220Ser Cys Asp Ser Arg Asp Asn Thr Leu Gln Val Asp Ile Asn Gly Phe 225 230 235 Thr Thr Gly Arg Arg Gly Asp Leu Ala Thr Ile His Gly Met Asn Arg 245 250 255 Pro Phe Leu Leu Met Ala Thr Pro Leu Glu Arg Ala Gln His Leu 260 265 Gln Ser Ser Arg His Arg Arg Ala Leu Asp Thr Asn Tyr Cys Phe Ser 275 280 285 Ser Thr Glu Lys Asn Cys Cys Val Arg Gln Leu Tyr Ile Asp Phe Arg 290 295 300 Lys Asp Leu Gly Trp Lys Trp Ile His Glu Pro Lys Gly Tyr His Ala 305 310 315 320 Asn Phe Cys Leu Gly Pro Cys Pro Tyr Ile Trp Ser Leu Asp Thr Gln 325 330 335

Tyr Ser Lys Val Leu Ala Leu Tyr Asn Gln His Asn Pro Gly Ala Ser 340

Ala Ala Pro Cys Cys Val Pro Gln Ala Leu Glu Pro Leu Pro Ile Val 355

Tyr Tyr Val Gly Arg Lys Pro Lys Val Glu Gln Leu Ser Asn Met Ile 370

Val Arg Ser Cys Lys Cys Ser 385



PCT/JP 03/07514

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/10

According to international Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 C12N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, EMBASE

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 02 10438 A (JOHNS HOPKINS UNIVERSITY) 7 February 2002 (2002-02-07) cited in the application the whole document see especially: page 4, paragraphs 12,13 page 10, paragraph 34 page 12, paragraph 34 page 14, paragraph 39 -page 15, paragraph 41 page 16, paragraph 43 page 19, paragraph 54 -page 20, paragraph 56 page 25 -page 42; examples 1-5 page 43 -page 60; claims 1-64,75-113 page 61 -page 62; figure 1	1-6, 8-16, 26-55

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the International filing date or priority date and not in conflict with the application but citied to understand the principle or theory underlying the Invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the International search report
25 February 2004	03/03/2004
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016	Fuchs, U

INTERNATIONAL SEARCH REPORT

PCT/JP 03/07514

		PC1/0P 03/0/314
C.(Continua	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
Category °	Citation of document, with Indication, where appropriate, of the relevant passages	nesvalit to dam No.
A	MARUYAMA, K. & SUGANO, S.: "Oligo-capping: a simple method to replace the cap structure of eukaryotic mRNAs with oligoribonucleotides" GENE, vol. 138, no. 1-2, 28 January 1994 (1994-01-28), pages 171-174, XP001008855 cited in the application the whole document	1-55
Α	SHIBATA, Y. ET AL.: "Cloning Full-Length, Cap-Trapper-Selected cDNAs by Using the Single-Strand Linker Ligation Method" BIOTECHNIQUES, vol. 30, no. 6, June 2001 (2001-06), pages 1250-1254, XP002197302 cited in the application the whole document	1-55 ′
A	SUZUKI, Y. ET AL.: "Diverse transcriptional initiation revealed by fine, large-scale mapping of mRNA start sites" EMBO REPORTS, vol. 2, no. 5, May 2001 (2001-05), pages 388-393, XP001176665 cited in the application the whole document	1-55
A	CARNINCI, P. & HAYASHIZAKI, Y.: "High-Efficiency Full-Length cDNA Cloning" METHODS IN ENZYMOLOGY, vol. 303, 1999, pages 19-44, XP001022979 cited in the application the whole document	1-55
A	EDERY, I. ET AL.: "An Efficient Strategy To Isolate Full-Length cDNAs Based on an mRNA Cap Retention Procedure (CAPture)" MOLECULAR AND CELLULAR BIOLOGY, vol. 15, no. 6, June 1995 (1995-06), pages 3363-3371, XP002915963 cited in the application the whole document /	1-55



PCT7JP 03/07514

		PC1/UP 03/0/314
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Tichevalle to diamine.
A	THEISSEN, H. ET AL.: "Cloning of the human cDNA for the U1 RNA-associated 70K protein" EMBO JOURNAL, vol. 5, no. 12, 1 December 1986 (1986-12-01), pages 3209-3217, XP009002534 cited in the application page 3211, column 1, line 38 -column 2, line 16 page 3212 -page 3213; figure 3	1-55
A .	EP 1 197 552 A (RIKEN; HAYASHIZAKI, Y.) 17 April 2002 (2002-04-17) cited in the application the whole document	1-55
A	US 6 352 828 B1 (BRENNER, S.) 5 March 2002 (2002-03-05) cited in the application the whole document	1-55
E	WO 03 091416 A (LYNX THERAPEUICS, INC.) 6 November 2003 (2003-11-06) the whole document see especially: page 18, line 25 -page 21, line 18 and page 41 -page 43; figures 3A-C	1-8,11, 12, 14-16, 26-30, 32, 37-45, 48-55
T	SHIRAKI, T. ET AL.: "Cap analysis gene expression for high-throughput analysis of transcriptional starting point and identification of promoter usage" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, vol. 100, no. 26, 23 December 2003 (2003-12-23), pages 15776-15781, XP001161070 the whole document	1-55

INTERNATIONAL SEARCH REPORT

PC1/JP 03/07514

Patent document ted in search report		Publication date		Patent family member(s)	Publication date
0 0210438	Α	07-02-2002	AU	8087501 A	13-02-2002
0 0210.00	• •	0, 02 2332	WO	0210438 A2	07-02-2002
			US	2003008290 A1	09-01-2003
P 1197552	A	17-04-2002	CA	2356123 A1	25-02-2002
			EΡ	1197552 A2	
			JP	2002253237 A	10-09-2002
			US	2002106666 A1	08-08-2002
JS 6352828	B1	05-03-2002	US	5846719 A	08-12-1998
			US	5604097 A	18-02-1997
			AU	733782 B2	
			ΑU	3374097 A	05-01-1998
			CA	2256700 A1	
			CN	1230226 A	29-09-1999
			CZ	9803979 A3	
			EP	0923650 Al	
			HU	0003944 A2	28-03-2001 14-11-2000
			JP	2000515006 T 985698 A	08-02-1999
			NO Di	331513 AI	
			PL US	6138077 A	24-10-2000
			US	6172218 BI	
			WO	9746704 A1	
			US	6235475 BI	
			US	6172214 BI	
			US	6150516 A	21-11-2000
	•		ÜS	6013445 A	11-01-2000
			ΑÜ	712929 B2	
			ΑÜ	4277896 A	06-05-1996
•			AU	5266399 A	09-12-1999
			CA	2202167 A	
			CA	2441634 A	
			CZ	9700866 A	
			EP	0793718 A	1 10-09-1997
			FΙ	971473 A	04-06-1997
			HU	77916 A	
			JP	10507357 T	21-07-1998
			NO	971644 A	02-06-1997
			US	6280935 B	
			MO	9612014 A	1 25-04-1996
			US	5635400 A	03-06-1997
			บร	5654413 A	05-08-1997
			AU	3946195 A	06-05-1996 1 20-01-2000
			DE	69513997 D	
			DE	69513997 T 0786014 A	
			EP	0786014 A 0952216 A	
			EP	9612039 A	
			MO	6140489 A	
			US US	5695934 A	09-12-1997
			US	5863722 A	26-01-1999
WO 03091416		06-11-2003	WO	03091416 A	2 06-11-2003
			ÜS	2004002104 A	1 01-01-2004